Atlantoaxial Fixation in a Patient with Bilateral Persistent First Intersegmental Vertebral Artery Anomaly Using an O-arm Navigation System: A Case Report

Hideaki Kashiro, Keiji Wada, Mitsuru Yui, Ryo Tamaki, Daisuke Numaguchi, Kenji Hagiwara and Ken Okazaki

Department of Orthopaedics, Tokyo Women's Medical University, Tokyo, Japan

Keywords:

atlantoaxial subluxation, vertebral artery, O-arm

Spine Surg Relat Res 2019; 3(2): 196-198 dx.doi.org/10.22603/ssrr.2018-0065

Several variants of the vertebral artery (VA) have been reported, including those in the extraosseous and intraosseous regions of the craniovertebral junction (CVJ)¹⁾. The extraosseous variants include persistent first intersegmental vertebral artery (PFIA) and fenestration. Atlantoaxial fixation for PFIA or fenestration is challenging because C1/2 transarticular screws (TAS) and screw rod constructs with C1 lateral mass screws (LMS) and C2 pedicle screws are required to expose the bony landmarks, including the C1/2 joint, C2 pedicle, and C2 isthmus, where the anomalous VA is located²⁻⁴⁾. Yamazaki et al. performed fusion in patients with an anomalous VA in the extraosseous region of the CVJ¹. Although occipitocervical fusion provides rigid and secure fixation for various kinds of lesions around the craniocervical junction, it decreases the range of motion of the cervical spine and may cause dyspnea and/or dysphagia postoperatively.5,6)

Here, we describe a patient with bilateral PFIA and atlantoaxial subluxation who was successfully treated with TAS using an O-arm navigation system (O-arm).

A 53-year-old woman presented with severe pain in the left occipital region. She had been treated for rheumatoid arthritis for 10 years. Results of neurological examination were normal. Preoperative radiographs revealed an increased atlas-dens interval (Fig. 1a). MRI showed no spinal stenosis or high-intensity signal on T2-weighted images at C1/2 (Fig. 1b). Preoperative three-dimensional computed tomography (CT) angiography revealed bilateral PFIA but no congenital skeletal anomaly (Fig. 2).

Surgery was planned because of the severe left occipital pain. Fixation could not be performed using screw rod con-

structs because the PFIA ran across the entry points of the LMS at C1. Furthermore, conventional TAS with exposure of the C2 isthmus and C1/2 joints⁷⁾ was not possible because of the presence of PFIA. Therefore, we performed TAS fixation and Brooks'procedure using an O-arm without exposing the C2 isthmus and C1/2 joints.

After induction of general anesthesia, the patient was placed in the prone position. A midline incision was made to expose the C1 posterior arch, C2 lamina, and cranial side of the C3 lamina. Next, 3-mm Nesplon tapes (Alfresa Pharma, Osaka, Japan) were passed under the C1 posterior arch and C2 lamina. A Doppler echo probe was used to confirm the position of the VA during these steps. A Nesplon tape was tightened for the temporary fixation of C 1/2 joints. The starting point of the TAS was confirmed using an O-arm, and screw holes were made with a navigated drill guide, through which 4-mm screws were inserted (Fig. 3a, b). The bone graft was harvested from the iliac crest and placed using Brooks'procedure with Nesplon tape.

Severe pain in the left occipital region disappeared just after surgery. The patient wore a cervical collar until bone union was confirmed with CT three months after surgery.

Here, we describe a patient with PFIA in whom we performed atlantoaxial fixation using an O-arm. Atlantoaxial fixation using an O-arm has previously been reported^{8,9)}. Wada et al. reported insertion of LMS at C1 caudally from the C2 nerve root using an O-arm, with no screw malpositioning observed on postoperative CT⁸⁾. Hitti et al. reported less blood loss when fixation of the upper cervical spine was performed with navigation rather than without⁹⁾. They also reported that the use of an O-arm avoided the need to

Corresponding author: Keiji Wada, keijiwadajp@yahoo.co.jp

Received: August 7, 2018, Accepted: October 14, 2018, Advance Publication: November 10, 2018

Copyright © 2019 The Japanese Society for Spine Surgery and Related Research



Figure 1. Preoperative X-ray showing atlantoaxial subluxation in lateral view in flexion position (a). Preoperative sagittal view of MRI T2 weighted image showing no spinal stenosis or high-intensity signal in atlantoaxial level (b).




Figure 2. Posterior view on three-dimensional computed tomography angiography showing bilateral persistent first intersegmental artery (white arrow).

expose any bony landmarks when placing TAS for atlantoaxial fixation. We, therefore, applied an O-arm for this case, as it could minimize the exposure of the bony landmarks where the PFIA was located. However, screw malposition in cervical spine with an O-arm has been reported¹⁰. Thus, we need to recognize the potential risks of using an O-arm. **Conflicts of Interest:** The authors declare that there are no relevant conflicts of interest.

Author Contributions: Hideaki Kashiro wrote and prepared the manuscript. All authors participated in the study design. All authors have read, reviewed, and approved the article.




Figure 3. Intraoperative navigation images showing screw holes made with navigated drill guide from the starting point (a). Postoperative X-ray showing proper transarticular screw position (b).

References

- **1.** Yamazaki M, Okawa A, Furuya T, et al. Anomalous vertebral arteries in the extra- and intraosseous regions of the craniovertebral junction visualized by 3-dimensional computed tomographic angiography: analysis of 100 consecutive surgical cases and review of the literature. Spine. 2012;37(22):1389-97.
- Jeanneret B, Magerl F. Primary posterior fusion C1/2 in odontoid fractures: indications, technique, and results of transarticular screw fixation. J Spinal Disord. 1992;5(4):464-75.
- **3.** Goel A, Laheri V. Plate and screw fixation for atlanto-axial subluxation. Acta Neurochir. 1994;129(1-2):47-53.
- **4.** Harms J, Melcher RP. Posterior C1-C2 fusion with polyaxial screw and rod fixation. Spine. 2001;26(22):2467-71.
- **5.** Izeki M, Neo M, Takemoto M, et al. The O-C2 angle established at occipito-cervical fusion dictates the patient's destiny in terms of postoperative dyspnea and/or dysphagia. Eur Spine J. 2014;23(2): 328-36.
- 6. Garrido BJ, Sasso RC. Occipitocervical fusion. Orthop Clin North

Am. 2012;43(1):1-9.

- **7.** Magerl F, Seemann PS. Cervical spine. Vol I. New York (United States):Springer-Verlag;1986. Chapter 4.14, Stable posterior fusion of atlas and axis by transarticular screw fixation; p. 322-7.
- **8.** Wada K, Tamaki R, Yui M, et al. C1 lateral mass screw insertion caudally from C2 nerve root An alternate method for insertion of C1 screws: A technical note and preliminary clinical results. J Orthop Sci. 2017;22(2):213-7.
- **9.** Hitti FL, Hudgins ED, Chen HI, et al. Intraoperative navigation is associated with reduced blood loss during C1-C2 posterior cervical fixation. World Neurosurg. 2017;107:574-8.
- **10.** Smith JD, Jack MM, Harn NR, et al. Screw placement accuracy and outcomes following O-arm-navigated atlantoaxial fusion: A feasibility study. Global Spine J. 2016;6(4):344-9.

Spine Surgery and Related Research is an Open Access journal distributed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License. To view the details of this license, please visit (https://creativeco mmons.org/licenses/by-nc-nd/4.0/).